



Bending Chart for Hemming Tools

Acc.R.45 Kg/mm²



S mm	A mm	Ton/M	2xS	Ton/M
0,6	3	9	1,2	23
0,8	3	12	1,6	32
1	3,5	15	2	40
1,25	3,5	17	2,5	50
1,5	4,6	22	3	63
2	5,5	30	4	80
2,5	6,5	55	5	90
3	8	70	6	100

Acc.R.70 Kg/mm²



S mm	A mm	Ton/M	2xS	Ton/M
0,6	3	15	1,2	35
0,8	3	20	1,6	50
1	3,5	25	2	60
1,25	3,5	26	2,5	80
1,5	4,6	38	3	95
2	5,5	50	4	130